Pediatric Symptom Checklist-17 (PSC-17)

	Please mark under the heading that best fits your child			For Office Use		
	NEVER	SOMETIMES	OFTEN	I	А	Е
Fidgety, unable to sit still						
. Feels sad, unhappy						
. Daydreams too much						
. Refuses to share						
. Does not understand other people's feelings						
. Feels hopeless						
Has trouble concentrating						
. Fights with other children						
. Is down on him or herself						
D. Blames others for his or her troubles						
. Seems to be having less fun						
2. Does not listen to rules						
3. Acts as if driven by a motor						
4. Teases others						
5. Worries a lot						
6. Takes things that do not belong to him or her						
7. Distracted easily						
(scoring totals)						

Scoring:

- Fill in unshaded box on right with: "Never" = 0, "Sometimes" = 1, "Often" = 2
- Sum the columns.

PSC17 Internalizing score is sum of column I PSC17 Attention score is sum of column A PSC17 Externalizing score is sum of column E PSC-17 Total Score is sum of I, A, and E columns

Suggested Screen Cutoff:

PSC-17 - I ≥ 5

 $\mathsf{PSC}\text{-}17 - \mathsf{A} \geq \mathsf{7}$

PSC-17 - E ≥7

Total Score ≥ 15

Higher Scores can indicate an increased likelihood of a behavioral health disorder being present.

PSC-17 may be freely reproduced.

Created by W Gardner and K Kelleher (1999), and based on PSC by M Jellinek et al. (1988) Formatted by R Hilt, inspired by Columbus Children's Research Institute formatting of PSC-17